

The Honorable Lee Zeldin, Administrator
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, N.W.
Mail code 1101A
Washington, DC 20460

September 22, 2025

Administrator Zeldin:

The undersigned medical and health organizations are united in our opposition to the Environmental Protection Agency's (EPA) proposed rule "Reconsideration of 2009 Endangerment Finding and Greenhouse Gas Vehicle Standards." Rescinding the greenhouse gas emissions endangerment finding contradicts the overwhelming scientific consensus on climate change, disregards the near-daily health impacts Americans are already experiencing, and places our nation on a dangerous path towards greater illness, suffering, and environmental and economic harm.

As health professionals, we urge the Trump Administration to recognize and respond to the urgent health and economic crisis that global climate change poses for our nation and the world. The science is clear: Climate change is real, driven primarily by human-caused emissions, and harming both our health and the economy today. Contrary to the EPA's claim that "the projections relied upon in the Endangerment Finding appear unduly pessimistic in light of empirical observations made after it was finalized in 2009 through 2024," the potential climate impacts of increased greenhouse gas emissions were well understood as early as the 1950s and 1960s, based on research conducted by the fossil fuel industry. Since that time, predictive models have only improved, and recent research notes that climate models published over the past five decades have generally been quite accurate in predicting global warming trends.¹ Without rapid action, health threats will escalate—condemning future generations to a crisis that will jeopardize their well-being and economic stability.

The health harms of climate change caused by greenhouse gas (GHG) emissions are well understood and acknowledged by the American medical and scientific communities. At least 32 medical societies and 18 national nursing organizations from across the United States, plus the International Council of Nurses, have adopted or published position papers, statements, or policies recognizing the health threat of climate change. In 2023, 42 national, state, and academic nursing organizations and institutions signed on to a joint commitment on climate change and health.² That same year, over 200 health journals coordinated the release of an editorial declaring climate change a global health emergency, warning that vulnerable communities will bear the greatest burdens.^{3,4}

Adverse health impacts from climate change are already here. Between 2014 and 2023, infants and adults over 65 experienced more than twice as many annual heatwave days as between 1986 and 2005, each facing roughly nine heatwave days per year. Americans endured nearly 600 hours annually under conditions posing moderate or greater heat stress.⁵

In 2023 alone, extreme heat drove the loss of 3.4 billion labor hours, costing a record \$103 billion in potential income.⁶ In 2024, 156 million Americans, or 46% of the population, lived in counties with failing grades in ozone and particulate matter pollution—25 million higher than last year and driven in part by extreme heat and wildfire events.⁷ Warmer conditions are also expanding the opportunities for the spread of infectious diseases. Coastal areas where conditions favorable for harmful *Vibrio* bacteria to proliferate have expanded by 50% since 2000-2004.⁸ The geographic range for the *Aedes* mosquito species, which transmits dengue virus, Zika virus and chikungunya, has increased making local spread of these viruses possible in the United States.⁹

These health threats are straining our care systems, with evidence showing that climate change is already worsening mental health (anxiety, depression, and other mental health conditions) and over 40% of physicians citing disruptions to healthcare services from extreme weather and poor air quality.^{10,11}

Healthcare systems and their supply chains are also negatively impacted by climate change. Escalating extreme weather events affect healthcare systems in several ways, including direct impacts on healthcare workers, emergency evacuation of hospitals, damage to physical infrastructure, and disruption of critical supply chains. For example, in 2012, when Hurricane Sandy struck New York City, Bellevue Hospital, which serves nearly half a million patients annually, was forced to close temporarily and move patients elsewhere. In July 2023, a tornado damaged a pharmaceutical plant in North Carolina, destroying medications and raw materials used in pharmaceuticals, and it took nearly three months for the facility to reopen. Hurricane Helene in North Carolina and Hurricane Maria in Puerto Rico damaged intravenous (IV) fluid production facilities, resulting in critical IV fluid shortages nationwide, and the Los Angeles wildfires destroyed one community health clinic and forced the evacuation of at least five others.¹²

Major weather events often make national headlines; however, as health professionals, we frequently see the health harms of climate change in our day-to-day interactions with patients and communities. While everyone will be adversely affected by climate change, children, older adults, people with chronic illnesses, pregnant individuals, and historically underserved communities face the greatest risks.

Climate Threats to Maternal-Child Health

Climate change is already harming U.S. pregnancies. Biological and behavioral changes during pregnancy and postpartum increase susceptibility to illnesses related to insects, food, and water—many of which are rising with climate change and can affect both maternal and fetal health. Extreme weather events also increase the risk of extreme stress, post-traumatic stress disorder (PTSD), and depression during this sensitive time, compounding risks for mother and baby.¹³

Over the past two decades, a growing body of research from the U.S. and abroad has shown that the continued burning of fossil fuels is driving climate change and endangering pregnant women and their children. Elevated temperatures are linked to reduced fertility, birth defects, increased risks of gestational diabetes, and hypertensive disorders—serious complications of pregnancy that often lead to lifelong harm.¹⁴⁻¹⁶

Heat exposure and air pollution from fossil fuel combustion and climate change are increasingly associated with premature birth, low birth weight, and even stillbirth.¹⁷⁻²⁹ Encouragingly, a 2018 U.S. study found that the retirement of gas and oil-powered electricity plants significantly reduced preterm birth rates nearby.³⁰ Still, the science is clear: Without a major reduction in greenhouse gas emissions, we risk bringing this and future generations into the world already “weakened from birth.”

Children’s Health

Climate change threatens children's health at every stage of development. A child born today can expect to experience twice as many wildfires, three times as many flooding events, and 36 times as many heat waves compared to someone born in 1960.³¹ Hotter, drier conditions are projected to increase dust levels by 38%, driving a 210% rise in dust-attributable cardiovascular deaths.³²

Children’s developing lungs, brains, and immune systems make them more susceptible to harm from extreme heat, air pollution, and vector-borne disease.³³ Infants cannot effectively regulate their body temperature, increasing their risk of serious illness or disease, particularly in the first week of life if born during a heat wave.³⁴ Children under the age of five are at greater risk for asthma exacerbations during wildfires due to their smaller airways, where inflammation poses a greater risk. Children and young athletes are at risk of thermal burns, heat illness, and heat stroke when outside on a hot day, while spending more time indoors carries a greater risk of obesity and chronic disease.³⁵ Drier and dustier conditions place children, particularly in rural areas, at higher risk for respiratory conditions and dangerous diseases like coccidiomycosis (“Valley fever”).³⁶

These health effects can be profound and lifelong. Exposure to wildfire smoke or extreme heat during pregnancy increases the risk of preterm birth and low birthweight, outcomes associated with long-term risks for chronic disease and neurodevelopmental disorders.³⁷⁻³⁹ Asthma, the most common chronic disease in childhood, is already being exacerbated by climate change. Rising levels of air pollution from wildfires, longer and more intense pollen seasons, and increased ground-level ozone on hotter days are driving more emergency room visits and hospitalizations.⁴⁰⁻⁴³ These exposures translate into higher healthcare costs, poorer educational outcomes, and reduced lifetime earnings for affected children.⁴⁴⁻⁴⁵

Extreme weather events compound these risks. Hurricanes, floods, droughts, and wildfires lead to displacement, loss of housing and caregivers, disrupted access to medical and mental health care, and prolonged school absences.⁴⁶ These events can increase a child’s exposure to Adverse Childhood Experiences (ACEs), which are strongly linked to elevated risks for chronic conditions later in life—including heart disease, diabetes, and even cancer.⁴⁷ An analysis of disasters such as Hurricanes Katrina and Maria and the toll that hurricanes take long after the floodwaters recede shows lasting impacts from these events. Infants faced the highest increase in mortality months after the event, ⁴⁸ likely due to a combination of disrupted access to healthcare, caregivers with financial and mental health struggles, and shredded social support networks. While all children are at risk, those in historically underserved and overburdened communities are disproportionately affected, further deepening health inequities.

Young people are at additional risk if the Endangerment Finding is abandoned. The EPA proposal's suggestion that increased greenhouse gas emissions could be "beneficial" because they may stimulate plant growth ignores the broader and well-documented harms of such changes. Any short-term gains in biomass are potentially outweighed by the negative consequences. Elevated CO₂ levels can actually reduce the nutritional quality of food crops, lowering essential protein, zinc, and iron content and worsening the risk of malnutrition—especially for children and vulnerable populations.⁴⁹ Increased plant growth also means greater pollen production and longer pollen seasons, which risk driving up rates of severe asthma cases in children.⁵⁰⁻⁵¹

Climate Impact on Mental Health Conditions

Patients with mental illness are especially vulnerable to climate change. Mental illness is one of the major causes of suffering in the United States, with one in five Americans living with a mental health condition. Climate change affects mental health in a variety of ways, with the elderly, pregnant and post-partum women, people with low income, those with pre-existing mental health conditions, and emergency response workers at higher risk. Extreme weather events driven by climate change are linked to higher rates of PTSD, depression, anxiety, suicidality, and substance use disorders—affecting both those with and without prior mental illness.⁵²⁻⁵⁴

Heat events are associated with increased domestic and group violence, suicides, sleep disorders, and impaired cognition and decision making, leading to more work-related accidents. ⁵⁵Many medications, including but not limited to psychiatric medications, can affect temperature regulation, leading to life-threatening hyperthermia. Several studies have found that people with preexisting mental health conditions are at increased risk for death during heat events, with one study demonstrating a three-fold risk of death for people with schizophrenia.⁵⁶⁻⁵⁷ Those with cognitive impairments, such as dementia, are also at an elevated risk for hospitalization and death during heat waves.⁵⁸

Climate distress, especially among youth, is pervasive. A global survey of 16–25-year-olds found that 59% were worried or extremely worried about climate change, over 50% believed "humanity is doomed," and nearly half said it impaired their daily functioning. ⁵⁹A similar study looking at U.S. youth had very similar findings, indicating a high level of distress for this demographic.⁶⁰

Climate Impact on Patients With Chronic Diseases

People with chronic conditions such as heart disease, diabetes, and respiratory illnesses are especially vulnerable to climate change. Heat, extreme weather events, waterborne illnesses, and air pollution can all exacerbate these conditions, increasing the risk of severe illness or death.⁶¹⁻⁶⁴ People with chronic health conditions depend on medications or medical services that may be disrupted by climate emergencies involving evacuations, transportation breakdowns, power outages, and damage to healthcare infrastructure.⁶⁵ Common medications, such as diuretics and antihypertensives, can impair the body's ability to regulate temperature, compounding heat-related risks.⁶⁶ Additionally, individuals with compromised immune systems are more susceptible to climate-sensitive vector-borne diseases, including those spread by water or insects.⁶⁷⁻⁶⁸

Climate change is also driving more frequent and intense wildfires, exposing patients to toxic smoke that can travel hundreds of miles beyond the fire zone. This smoke contains fine particulate matter (PM2.5) that, when inhaled, triggers inflammation and places individuals with cardiovascular and respiratory disease at elevated risk for strokes, heart attacks, asthma attacks, COPD exacerbations, and premature death.⁶⁹⁻⁷¹ The expanding reach of wildfire smoke means that even those far from fire lines are increasingly affected, further burdening already strained healthcare systems.⁷²

Climate Change Impacts on Older Adults

The health and safety of older Americans are increasingly threatened by climate-related hazards.

Approximately one-fifth of the U.S. population is 60 years or older.⁷³ As people age, they are less able to adjust to environmental stresses like heat and air pollution.⁷⁴ Many older adults live with chronic health conditions like heart disease and COPD, which can be exacerbated by climate stressors like extreme heat and air pollution.⁷⁵ Limited mobility can make it harder to evacuate during emergencies and recover afterwards.⁷⁶ Age-related declines in the ability to regulate body temperature—often compounded by medications such as diuretics and antihypertensives—further increase the danger during heat waves. In addition, many seniors depend on caregivers for daily needs and medical care, support systems that can be severely disrupted during climate-related disasters.⁷⁷

Conclusion

Climate change threatens the health of every American, but the impacts are disproportionately severe for vulnerable populations. As health professionals, we are already seeing these harms in our patients. Without decisive action, climate-driven heat waves, air pollution, severe storms, flooding, droughts, and vector-borne disease will only intensify. The scientific evidence is unequivocal: Greenhouse gas pollution endangers public health. The EPA has a clear obligation under the Clean Air Act to regulate these pollutants.

We urge the Administration to withdraw the proposed rescission of the 2009 Endangerment Finding and uphold its responsibility to protect the health of the American people.

Signed,

National Organizations

Academic Pediatric Association

Academy of Emergency Medicine Pharmacists

Alliance of Nurses for Healthy Environments

American Academy of Allergy, Asthma, & Immunology

American Academy of Child and Adolescent Psychiatry

American Academy of Family Physicians

American Academy of Pediatrics

American Association of Occupational Health Nurses

American College of Chest Physicians

American College of Osteopathic Internists

American College of Physicians

American Medical Association

American Medical Women's Association

American Psychiatric Association

American Psychological Association Services, Inc.

American Public Health Association

American Thoracic Society

Association of Community Health Nursing Educators

Association of Medical School Pediatric Department
Chairs

Climate Psychiatry Alliance

Climate Psychology Alliance – North America

College of Urgent Care Medicine
Council of Public Health Nursing Organizations
DNPs of Color
Doctors for America
Endocrine Society
Health Care Without Harm
Infectious Diseases Society of America
The Medical Society Consortium on Climate and Health
National Association of Neonatal Nurses
National Association of Pediatric Nurse Practitioners
National League for Nursing
National Medical Association
Nurse Heroes for Zero

Organizations By State

Arizona

American Academy of Pediatrics, Arizona Chapter
Arizona Health Professionals for Climate Action

California

California Nurses for Environmental Health and Justice
California Thoracic Society
Climate Health Now
National Association of Pediatric Nurse Practitioners,
Orange County Chapter
National Association of Pediatric Nurse Practitioners,
San Francisco Chapter
Physicians for Social Responsibility, San Francisco Bay
Area
Santa Clara County Medical Association

Colorado

Colorado Academy of Family Physicians
Healthy Air and Water Colorado
Physicians for Social Responsibility, Colorado

Delaware

Delaware Nurses Association
Progressive Health of Delaware
Mid-Atlantic Alliance for Climate and Health

District of Columbia

American Academy of Pediatrics, DC Chapter

Florida

Florida Clinicians for Climate Action
Florida Thoracic Society

Occupational Therapists for Environmental Action
Orthodox Jewish Nurses Association
Oncology Advocates United for Climate and Change –
International
Philippine Nurses Association of America
Physicians for Social Responsibility
Rural Nurse Organization
Society of Behavioral Medicine
Society of Emergency Medicine Pharmacists
Society of General Internal Medicine
Society of Latinx Nurses
Veterinary Sustainability Alliance
Wilderness Medical Society

Georgia

Georgia Clinicians for Climate Action

Hawaii

National Association of Pediatric Nurse Practitioners,
Hawaii Chapter
Washington, Hawaii, Alaska Thoracic Society

Idaho

Idaho Clinicians for Climate and Health

Illinois

American Academy of Pediatrics, Illinois Chapter
Illinois Clinicians for Climate Action
National Association of Pediatric Nurse Practitioners,
Illinois Chapter

Iowa

National Association of Pediatric Nurse Practitioners, Iowa
Chapter

Maine

Alliance of Maine Health Professionals for Climate Action
Physicians for Social Responsibility, Maine

Maryland

Healthy Climate Maryland
National Association of Pediatric Nurse Practitioners,
Maryland Chapter
Physicians for Social Responsibility, Chesapeake

Massachusetts

American Academy of Pediatrics, Massachusetts Chapter
Greater Boston Physicians for Social Responsibility

Michigan

The Climate Justice Nurse
Michigan Clinicians for Climate Action
Michigan State Medical Society
Michigan Thoracic Society

Minnesota

Advocates for Better Health (Minnesota)
Minnesota Organization of Registered Nurses (MNORN)
Health Professionals for a Healthy Climate (Minnesota)

Mississippi

Mississippi Health Professionals for Climate and Health Equity

Montana

American Academy of Pediatrics, Montana Chapter
Montana Health Professionals for a Healthy Climate

Nebraska

American Academy of Pediatrics, Nebraska Chapter

Nevada

Nevada Clinicians for Climate Action

New Hampshire

American Academy of Pediatrics, New Hampshire Chapter
New Hampshire Healthy Climate

New Jersey

Clinicians for Climate Action New Jersey
National Association of Pediatric Nurse Practitioners, Pennsylvania Delaware Valley Chapter
New Jersey State Nurses Association
New Jersey Thoracic Society

New Mexico

Healthy Climate New Mexico

New York

National Association of Pediatric Nurse Practitioners, Greater New York State Chapter
National Association of Pediatric Nurse Practitioners, Long Island Chapter
New York State Thoracic Society

North Carolina

Carolina Advocates for Climate, Health, and Equity
North Carolina Thoracic Society

Ohio

American Academy of Pediatrics, Ohio Chapter
Ohio Association of Occupational Health Nurses

Oklahoma

Oklahoma Thoracic Society

Oregon

Oregon Pediatric Society
Oregon Thoracic Society

Pennsylvania

Concerned Health Professionals of Pennsylvania
National Association of Pediatric Nurse Practitioners, Pennsylvania Delaware Valley Chapter
Physicians for Social Responsibility, Pennsylvania

Puerto Rico

Puerto Rico Clinicians for Climate Action

South Carolina

National Association of Pediatric Nurse Practitioners, South Carolina Chapter
South Carolina Thoracic Society

Texas

National Association of Pediatric Nurse Practitioners, South Texas Alamo Chapter
Physicians for Social Responsibility, Texas

Utah

National Association of Pediatric Nurse Practitioners, Utah Chapter
Utah Physicians for a Healthy Environment

Vermont

Vermont Climate and Health Alliance

Virginia

American Academy of Pediatrics, Virginia Chapter
Virginia Clinicians for Climate Action

Washington

American Academy of Pediatrics, Washington Chapter
Washington Physicians for Social Responsibility
Washington, Hawaii, Alaska Thoracic Society

Wisconsin

Healthy Climate Wisconsin



American Academy of Pediatrics
DEDICATED TO THE HEALTH OF ALL CHILDREN®



Virginia Chapter
Incorporated in Virginia
American Academy of Pediatrics

Arizona Chapter
INCORPORATED IN ARIZONA

American Academy of Pediatrics
DEDICATED TO THE HEALTH OF ALL CHILDREN®



Massachusetts Chapter
INCORPORATED IN MASSACHUSETTS
American Academy of Pediatrics
DEDICATED TO THE HEALTH OF ALL CHILDREN®



NEBRASKA
CHAPTER of the
American Academy of Pediatrics
Incorporated in Nebraska

New Hampshire Chapter
American Academy of Pediatrics
DEDICATED TO THE HEALTH OF ALL CHILDREN®



Ohio Chapter
INCORPORATED IN OHIO

American Academy of Pediatrics
DEDICATED TO THE HEALTH OF ALL CHILDREN®



Oregon Pediatric Society
A Chapter of the American Academy of Pediatrics. Incorporated in Oregon

WCAAP
WASHINGTON CHAPTER
AMERICAN ACADEMY OF PEDIATRICS
Incorporated in Washington



CHEST
AMERICAN COLLEGE
of CHEST PHYSICIANS

ACOI
American College of Osteopathic Internists

ACP
American College of Physicians
Leading Internal Medicine, Improving Lives



AMWA
American Medical Women's Association

AMERICAN
PSYCHIATRIC
ASSOCIATION




AMERICAN
PSYCHOLOGICAL
ASSOCIATION
SERVICES, INC.

APHA
AMERICAN PUBLIC HEALTH ASSOCIATION
For science. For action. For health.



ATS
American Thoracic Society

California
Thoracic Society
ATS Chapter







Michigan
Thoracic Society
ATS Chapter

New Jersey
Thoracic Society
ATS Chapter

New York State
Thoracic Society
ATS Chapter

North Carolina
Thoracic Society
ATS Chapter





WASHINGTON PHYSICIANS
FOR SOCIAL RESPONSIBILITY



PROGRESSIVE
Health of Delaware
YOUR WELLNESS CENTER



RURAL NURSE
ORGANIZATION



**SOCIETY OF
BEHAVIORAL
MEDICINE**

SEMP
SOCIETY OF EMERGENCY MEDICINE PHARMACISTS



**Veterinary
Sustainability
Alliance**



Citations

1. Defense, Denial, and Disinformation: Uncovering the oil industry's early knowledge of climate change - Common Home. Accessed August 18, 2025.
<https://commonhome.georgetown.edu/topics/climateenergy/defense-denial-and-disinformation-uncovering-the-oil-industrys-early-knowledge-of-climate-change/>
2. Nurses from Forty-Two National Nursing Organizations Issue List of Climate Demands to 118th Congress - ANHE. Accessed August 4, 2025. <https://envirn.org/nursing-organizations-issue-climate-demands-to-118th-congress/>
3. Abbasi K, Ali P, Barbour V, et al. Time to Treat the Climate and Nature Crisis as One Indivisible Global Health Emergency. JAMA. Published online October 25, 2023. doi:10.1001/JAMA.2023.20840
4. Full list of authors and-signatories to climate emergency editorial October 2023 | The BMJ. Accessed August 4, 2025. <https://www.bmj.com/content/full-list-authors-and-signatories-climate-nature-emergency-editorial-october-2023>
5. 2024 Lancet Countdown Brief for the United States. Lancet Countdown. Published online November 15, 2024. <https://www.lancetcountdownus.org/2024-lancet-countdown-u-s-brief/>
6. 2024 Lancet Countdown Brief for the United States. Lancet Countdown. Published online November 15, 2024. <https://www.lancetcountdownus.org/2024-lancet-countdown-u-s-brief/>
7. New Report: Nearly Half of People in the U.S. Exposed to Dangerous Air Pollution Levels. American Lung Association. Published online April, 23, 2025. <https://www.lung.org/media/press-releases/state-of-the-air-2025>
8. 2024 Lancet Countdown Brief for the United States. Lancet Countdown. Published online November 15, 2024. <https://www.lancetcountdownus.org/2024-lancet-countdown-u-s-brief/>
9. Gorris, M. E., Bartlow, A. W., Pitts, T., & Manore, C. A. (2024). Projections of Aedes and Culex mosquitoes across North and South America in response to climate change. The Journal of Climate Change and Health, 17, 100317.
10. Charlson, F., Ali, S., Benmarhnia, T. et al. Climate Change and Mental Health: A Scoping Review. International Journal of Environmental Research and Public Health. 2021; 8(9), 4486.
<https://doi.org/10.3390/ijerph18094486>.
11. Lawrance, E., Thompson, R., Fontana, G. et al. The impact of climate change on mental health and emotional wellbeing: current evidence and implications for policy and practice. Imperial. Published May 2021. <https://www.imperial.ac.uk/grantham/publications/all-publications/the-impact-of-climate-change-on-mental-health-and-emotional-wellbeing-current-evidence-and-implications-for-policy-and-practice.php>
12. FDA works to help relieve the IV shortages in the wake of Hurricane Maria. FDA.gov. Published online November 14, 2017. <https://www.fda.gov/drugs/drug-safety-and-availability/fda-works-help-relieve-iv-fluid-shortages-wake-hurricane-maria>
13. Martínez-González, K. G., Morou-Bermúdez, E., & Buxó, C. J. (2023). Perinatal mental health outcomes following natural disasters. JAMA psychiatry, 80(12), 1185-1186.
14. Barreca A, Deschenes O, Guldi M. Maybe Next Month? Temperature Shocks and Dynamic Adjustments in Birth Rates. Demography. 2018;55(4):1269. doi:10.1007/S13524-018-0690-7

15. Lakhoo DP, Brink N, Radebe L, et al. A systematic review and meta-analysis of heat exposure impacts on maternal, fetal and neonatal health. *Nat Med*. 2024;31(2):684. doi:10.1038/S41591-024-03395-8
16. Dalugoda Y, Kuppa J, Phung H, Rutherford S, Phung D. Effect of Elevated Ambient Temperature on Maternal, Foetal, and Neonatal Outcomes: A Scoping Review. *International Journal of Environmental Research and Public Health* 2022, Vol 19, Page 1771. 2022;19(3):1771. doi:10.3390/IJERPH19031771
17. Chersich MF, Pham MD, Areal A, et al. Associations between high temperatures in pregnancy and risk of preterm birth, low birth weight, and stillbirths: systematic review and meta-analysis. *BMJ*. 2020;371. doi:10.1136/BMJ.M3811
18. Darrow LA, Huang M, Warren JL, et al. Preterm and Early-Term Delivery After Heat Waves in 50 US Metropolitan Areas. *JAMA Netw Open*. 2024;7(5):e2412055-e2412055. doi:10.1001/JAMANETWORKOPEN.2024.12055
19. Qiu X, Fong KC, Shi L, et al. Prenatal exposure to particulate air pollution and gestational age at delivery in Massachusetts neonates 2001–2015: A perspective of causal modeling and health disparities. *Environmental Epidemiology*. 2020;4(5):e113. doi:10.1097/EE9.0000000000000113
20. Rappazzo KM, Nichols JL, Rice RB, Luben TJ. Ozone exposure during early pregnancy and preterm birth: A systematic review and meta-analysis. *Environ Res*. 2021;198:111317. doi:10.1016/j.envres.2021.111317
21. Cushing LJ, Vavra-Musser K, Chau K, Franklin M, Johnston JE. Flaring from unconventional oil and gas development and birth outcomes in the eagle ford shale in South Texas. *Environ Health Perspect*. 2020;128(7):077003-1-077003-077009. doi:10.1289/EHP6394/SUPPL_FILE/EHP6394.S001.ACCO.PDF
22. Heft-Neal S, Driscoll A, Yang W, Shaw G, Burke M. Associations between wildfire smoke exposure during pregnancy and risk of preterm birth in California. *Environ Res*. 2022;203:111872. doi:10.1016/J.ENVRES.2021.111872
23. Leung M, Weisskopf MG, Laden F, et al. Exposure to PM_{2.5} during Pregnancy and Fetal Growth in Eastern Massachusetts, USA. *Environ Health Perspect*. 2022;130(1). doi:10.1289/EHP9824/SUPPL_FILE/EHP9824.S001.ACCO.PDF
24. Abdo M, Ward I, O'dell K, et al. Impact of Wildfire Smoke on Adverse Pregnancy Outcomes in Colorado, 2007-2015. Published online 2019. doi:10.3390/ijerph16193720
25. Wang Q, Miao H, Warren JL, et al. Association of maternal ozone exposure with term low birth weight and susceptible window identification. *Environ Int*. 2021;146:106208. doi:10.1016/J.ENVINT.2020.106208
26. Bravo MA, Miranda ML. A longitudinal study of exposure to fine particulate matter during pregnancy, small-for-gestational age births, and birthweight percentile for gestational age in a statewide birth cohort. *Environ Health*. 2022;21(1):1-11. doi:10.1186/S12940-021-00823-X/TABLES/4
27. Sexton J, Andrews C, Carruthers S, Kumar S, Flenady V, Lieske S. Systematic review of ambient temperature exposure during pregnancy and stillbirth: Methods and evidence. *Environ Res*. 2021;197:111037. doi:10.1016/J.ENVRES.2021.111037
28. Ebisu K, Malig B, Hasheminassab S, Sioutas C, Basu R. Cause-specific stillbirth and exposure to chemical constituents and sources of fine particulate matter. *Environ Res*. 2018;160:358-364. doi:10.1016/J.ENVRES.2017.10.015
29. DeFranco E, Hall E, Hossain M, et al. Air Pollution and Stillbirth Risk: Exposure to Airborne Particulate Matter during Pregnancy Is Associated with Fetal Death. *PLoS One*. 2015;10(3):e0120594. doi:10.1371/JOURNAL.PONE.0120594

30. Casey JA, Karasek D, Ogburn EL, et al. Retirements of Coal and Oil Power Plants in California: Association With Reduced Preterm Birth Among Populations Nearby. *Am J Epidemiol*. 2018;187(8):1586-1594. doi:10.1093/AJE/KWY110
31. Thiery W, Lange S, Rogelj J, et al. Intergenerational inequities in exposure to climate extremes. *Science* (1979). 2021;374(6564):158-160. doi:10.1126/SCIENCE.ABI7339/SUPPL_FILE/SCIENCE.ABI7339_SM.PDF
32. Pearson D. Drought, desiccation, dust, and aridity in the American West: A California overview of climate change exposures, regional factors, and social conditions on maternal and child health. *Hygiene and Environmental Health Advances*. 2025;15:100122. doi:10.1016/J.HEHA.2025.100122
33. Ahdoot S, Baum CR, Cataletto MB, et al. Climate Change and Children's Health: Building a Healthy Future for Every Child. *Pediatrics*. 2024;153(3). doi:10.1542/PEDS.2023-065504/196647
34. Basagaña X, Sartini C, Barrera-Gómez J, et al. Heat waves and cause-specific mortality at all ages. *Epidemiology*. 2011;22(6):765-772. doi:10.1097/EDE.0B013E31823031C5
35. Azan A, Nyimbili S, Babayode OO, Bershteyn A. Exceeding the limits of paediatric heat stress tolerance: the risk of losing a generation to climate inaction. *BMJ Paediatr Open*. 2025;9(1):2883. doi:10.1136/BMJPO-2024-002883
36. Pearson D. Drought, desiccation, dust, and aridity in the American West: A California overview of climate change exposures, regional factors, and social conditions on maternal and child health. *Hygiene and Environmental Health Advances*. 2025;15:100122. doi:10.1016/J.HEHA.2025.100122
37. Jiang P, Li Y, Tong MK, et al. Wildfire particulate exposure and risks of preterm birth and low birth weight in the Southwestern United States. Published online 2024. doi:10.1016/j.puhe.2024.02.016
38. Yoshida-Montezuma Y, Sivapathasundaram B, Brown HK, et al. Association of Late Preterm Birth and Size for Gestational Age with Cardiometabolic Risk in Childhood. *JAMA Netw Open*. 2022;5(5):E2214379. doi:10.1001/JAMANETWORKOPEN.2022.14379
39. Schieve LA, Tian LH, Rankin K, et al. Population impact of preterm birth and low birth weight on developmental disabilities in US children. *Ann Epidemiol*. 2016;26(4):267-274. doi:10.1016/J.ANNEPIDEM.2016.02.012
40. Anderegg WRL, Abatzoglou JT, Anderegg LDL, Bielory L, Kinney PL, Ziska L. Anthropogenic climate change is worsening North American pollen seasons. *Proc Natl Acad Sci U S A*. 2021;118(7):e2013284118. doi:10.1073/PNAS.2013284118/SUPPL_FILE/PNAS.2013284118.SAPP.PDF
41. Henry S, Ospina MB, Dennett L, Hicks A. Assessing the risk of respiratory-related healthcare visits associated with wildfire smoke exposure in children 0–18 years old: A systematic review. *Int J Environ Res Public Health*. 2021;18(16):8799. doi:10.3390/IJERPH18168799/S1
42. Zu K, Liu X, Shi L, et al. Concentration-response of short-term ozone exposure and hospital admissions for asthma in Texas. *Environ Int*. 2017;104:139-145. doi:10.1016/J.ENVINT.2017.04.006
43. Sapkota A, Dong Y, Li L, et al. Association Between Changes in Timing of Spring Onset and Asthma Hospitalization in Maryland. *JAMA Netw Open*. 2020;3(7):e207551-e207551. doi:10.1001/JAMANETWORKOPEN.2020.7551
44. Senter JP, Smith BM, Prichett LM, Connor KA, Johnson SB. Pediatric Asthma Is Associated With Poorer 3-Year Academic Achievement in Urban Elementary and Middle-School Students. *Acad Pediatr*. 2021;21(6):1009-1017. doi:10.1016/J.ACAP.2020.11.006

45. Belova A, Fann N, Haskell J, Hubbell B, Narayan T. Estimating lifetime cost of illness: An application to asthma. *Ann Am Thorac Soc*. 2020;17(12):1558-1569. doi:10.1513/ANNALSATS.201910-729OC/SUPPL_FILE/DISCLOSURES.PDF
46. Proulx K, Daelmans B, Baltag V, Banati P. Climate change impacts on child and adolescent health and well-being: A narrative review. *J Glob Health*. 2024;14:04061. doi:10.7189/JOGH.14.04061
47. Thapa, S., Giri, S., & Ross, A. G. Extreme weather and climate-related adverse childhood experiences are a humanitarian crisis during the 21st century. *Nature. Communications Medicine*, 2025, 5(1), 357.
48. Bhutta ZA, Bhavnani S, Betancourt TS, Tomlinson M, Patel V. Adverse childhood experiences and lifelong health. *Nature Medicine* 2023 29:7. 2023;29(7):1639-1648. doi:10.1038/s41591-023-02426-0
49. Beach, R. H., Sulser, T. B., Crimmins, A. et al. Combining the effects of increased atmospheric carbon dioxide on protein, iron, and zinc availability and projected climate change on global diets: a modelling study. *The Lancet Planetary Health*. 2018; (7), e307-e317.
50. Singh, A. B., & Kumar, P. Climate change and allergic diseases: an overview. *Frontiers in Allergy*. 2022; 3, 964987.
51. Annesi-Maesano, I., Cecchi, L., Biagioni, B., et al. Is exposure to pollen a risk factor for moderate and severe asthma exacerbations?. *Allergy*. 2023; 78(8), 2121-2147.
52. Cianconi, P., Betrò, S., & Janiri, L. The impact of climate change on mental health: a systematic descriptive review. *Frontiers in psychiatry*. 2022; 11, 490206.
53. Conte Keivabu, R., Zagheni, E., & Fink, A. Dementia and risks of temperature-related mortality and hospitalizations in Germany. *The Journals of Gerontology, Series A: Biological Sciences and Medical Sciences* 2025; 80(4), glae292.
54. Delaney, S. W., Stegmuller, A., Mork, D. Extreme heat and hospitalization among older persons with Alzheimer disease and related dementias. *JAMA Internal Medicine*. 2025; 185(4), 412-421.
55. Rizzotto, J. S., Sims, K. M., & Gibbs, H. K. (2025). Hot tempers: Differential effects of heat and drought on domestic violence. *Review of Economics of the Household*. 2025;1-26.
56. Lee MJ, McLean KE, Kuo M, Richardson GRA, Henderson SB. Chronic Diseases Associated With Mortality in British Columbia, Canada During the 2021 Western North America Extreme Heat Event. *Geohealth*. 2023;7(3). doi:10.1029/2022GH000729
57. Bouchama A, Dehbi M, Mohamed G, Matthies F, Shoukri M, Menne B. Prognostic Factors in Heat Wave–Related Deaths: A Meta-analysis. *Arch Intern Med*. 2007;167(20):2170-2176. doi:10.1001/ARCHINTE.167.20.IRA70009
58. Delaney, S. W., Stegmuller, A., Mork, D. Extreme heat and hospitalization among older persons with Alzheimer disease and related dementias. *JAMA Internal Medicine*. 2025; 185(4), 412-421.
59. Hickman C, Marks E, Pihkala P, et al. Climate anxiety in children and young people and their beliefs about government responses to climate change: a global survey. *Lancet Planet Health*. 2021;5(12):e863-e873. doi:10.1016/S2542-5196(21)00278-3/ATTACHMENT/E39369B3-7B14-4A18-83B1-0AB368A65F77/MMC1.PDF
60. Lewandowski RE, Clayton SD, Olbrich L, et al. Climate emotions, thoughts, and plans among US adolescents and young adults: a cross-sectional descriptive survey and analysis by political party identification and self-reported exposure to severe weather events. *Lancet Planet Health*. 2024;8(11):e879-e893. doi:10.1016/S2542-5196(24)00229-8

61. (PDF) Ch. 9: Populations of Concern. Accessed August 6, 2025.
https://www.researchgate.net/publication/313891886_Ch_9_Populations_of_Concern
62. Bell JE, Herring SC, Jantarasami L, et al. Ch. 4: Impacts of Extreme Events on Human Health. The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment. Published online 2016. doi:10.7930/J0BZ63ZV
63. Fann, N, Brennan T, Dolwick P, et al. Ch. 3: Air Quality Impacts. The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment. Published online 2016.
doi:10.7930/J0GQ6VP6
64. Trtanj J, Jantarasami L, Brunkard J, et al. Ch. 6: Climate Impacts on Water-Related Illness. The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment. Published online 2016.
doi:10.7930/J03F4MH4
65. Fifth National Climate Assessment Ch. 15 Human Health | Enhanced Reader.
66. Fifth National Climate Assessment Ch. 15 Human Health | Enhanced Reader.
67. Trtanj J, Jantarasami L, Brunkard J, et al. Ch. 6: Climate Impacts on Water-Related Illness. The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment. Published online 2016.
doi:10.7930/J03F4MH4
68. Beard CB, Eisen RJ, Barker CM, et al. Ch. 5: Vectorborne Diseases. The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment. Published online 2016. doi:10.7930/J0765C7V
69. Reid, C. E., Brauer, M., Johnston, F. H., Jerrett, M., Balme, J. R., & Elliott, C. T. (2016). Critical review of health impacts of wildfire smoke exposure. *Environmental health perspectives*, 124(9), 1334-1343.
70. Rizzo, L. V., & Rizzo, M. C. F. (2025). Wildfire smoke and health impacts: a narrative review. *Jornal de Pediatria*, 101, S56-S64.
71. Which Populations Experience Greater Risks of Adverse Health Effects Resulting from Wildfire Smoke Exposure? United States Environmental Protection Agency. Published online January 30, 2025.
72. Qi Q, Yu F, Nair AA, et al. Hidden danger: The long-term effect of ultrafine particles on mortality and its sociodemographic disparities in New York State. *J Hazard Mater*. 2024;471:134317.
doi:10.1016/J.JHAZMAT.2024.134317
73. S0102: Population 60 Years and Over ... - Census Bureau Table. Accessed August 5, 2025.
<https://data.census.gov/table/ACSST1Y2023.S0102?q=older+adults>
74. Older Adults | AirNow.gov. Accessed August 5, 2025. <https://www.airnow.gov/air-quality-and-health/older-adults/> Health. 2024;8(11):e879-e893. doi:10.1016/S2542-5196(24)00229-8
- 75.(PDF) Ch. 9: Populations of Concern. Accessed August 6, 2025.
https://www.researchgate.net/publication/313891886_Ch_9_Populations_of_Concern
- 76.(PDF) Ch. 9: Populations of Concern. Accessed August 6, 2025.
https://www.researchgate.net/publication/313891886_Ch_9_Populations_of_Concern
77. (PDF) Ch. 9: Populations of Concern. Accessed August 6, 2025.
https://www.researchgate.net/publication/313891886_Ch_9_Populations_of_Concern